

4

3

2

1

THIS DRAWING IS UNPUBLISHED

RELEASED FOR PUBLICATION

2016

© COPYRIGHT 2015

BY TE CONNECTIVITY

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	NEW RELEASE	09DEC2020	MK	IG

1.000
[25.40]

2

DT04-08PB

5

4

3

2

1

8

7

6

DEUTSCH-USA

6

1.848
[46.94]

5

1.435
[36.45]

5

6

BORDER SIGNIFIES THAT PINS 7 AND 8 ARE BUSSED TOGETHER, PINS 5 AND 6 ARE BUSSED TOGETHER, PINS 3 AND 4 ARE BUSSED TOGETHER AND PINS 1 AND 2 ARE BUSSED TOGETHER WITH A 2 PIN BUSSBAR.

5

DATE CODE; YEAR IS REPRESENTED BY THE LAST NUMERICAL DIGIT, EX: 0 = 2020. MONTH IS REPRESENTED BY SEQUENTIAL ALPHA CHARACTERS, EX: A = JANUARY.

4

MATERIAL - RECEPTACLE: PA66 GF15 (BLACK)
WEDGE LOCK (INCLUDED): PBT GF30 (GREEN)
BUSSBARS: COPPER ALLOY, GOLD PLATED

3

EACH 2 PIN BUSBAR HAS A MAXIMUM CURRENT RATING OF 13 AMPS.

2

ORIENTATION OF "DEUTSCH" AND "-P093" TO BE OPTIONAL.

1

MATES WITH DT06-08SB-XXXX (XXXX = ALL MODIFICATIONS). CONSULT FACTORY FOR MODIFICATIONS.

NOTES:

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCH [mm]

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±

2 PLC ±

3 PLC ±.025 [0.63]

4 PLC ±

ANGLES ±0°30'0"

FINISH

MATERIAL

4

DWN
K. MUKESH
09DEC2020

CHK
R. MESSENGER
09DEC2020

APVD
I. GRANTCHAROVA
10DEC2020

PRODUCT SPEC
108-151009

APPLICATION SPEC
114-151009

WEIGHT
23.71g

CUSTOMER DRAWING

TE Connectivity

NAME
8 PIN RECEPTACLE, (4) 2 PIN BUSSBARS
DT SERIES

SIZE
A3

CAGE CODE
4AFU8

DRAWING NO
C-2375997

RESTRICTED TO
-

SCALE
2:1

SHEET
1

OF
1

REV
A

1470-19 (3/13)